WALL FRAMING QTY. DESCRIPTION 2 x 4 x 104 \(\frac{5}{6} \) HF/DF Stud 70 2 x 4 x 16 Pressure treated bottom plate 5 2 x 4 x 16 HF/DF Top plate 9 2 x 4 x 16 HF/DF Blocking and Misc. framing 2 2 x 6 x 16 HF/DF Garage Door Casing 4 2 x 6 x 10 HF/DF Garage Door Casing 28 4 x 8 x \(\frac{7}{16} \) O.S.B. Sheathing (\(\frac{5}{6} \) O.S.B. may be substituted) 80' 2x4 Sill Plate Insulation ROOF FRAMING 4 2 x 4 x 16 HF/DF Blocking and Misc. framing 4 2 x 4 x 16 HF/DF Lookouts 8 2 x 6 x 16' HF/DF Eves and Gables 8 4 x 8 x ½6" O.S.B. Sheathing 16 Simpson H2.5 hurricane ties or equal 1 bag H-Clips FOOTING, FOUNDATION and FLOOR CONCRETE QTY. 5 cu. yd. 6.5 cu. yd. Footings (10" x 20") 96 lf. 6.5 cu. yd. Foured Foundation (2'-8" tall) 96 lf. 5 cu. yd. Floor (When poured with foundation wall) 10.5 + 7 yd. Monolithic footing and floor 3 10 8 x 8 x 16 C.M. U. Blocks (2'-8" tall) 3.5 cu. yd. Concrete block fill 600 s.f. min 6 mil polethylene FOUNDATION HARDWARE 34 ½" x 10" Anchor b 2 ½" x 14" Anchor b 34 3" x 3" Cut washe 4 LSTHD10 Simpsc 32 20' - #4 Rebar (2 i 34 30" - #4 Rebar pre ROOF TRUSSES 11 24' Er 2 24' Er On site building conditions and construction methods as well as human error will cause the quantities and / or materials in this list to vary. Verify quantities, types and quality of materials to be ordered before ordering. Increases for waste not added. MATERIALS LIST On site building conditions and SIDING (siding material take off for vinyl siding) 900 s.f. Vinyl, stucco, wood, cement siding 4 9' Corner Trim 8 10'-0"x 4" Door and Window Trim 2 12" x 18" louvered and screened gable vent BEAMS AND HEADERS 2 2x10x8' Window and Door Headers 2 2x12x18' DESIGN PARAMETERS: (VERIFY LOCALLY) WIND SPEED 100 MPH SEISMIC CATEGORY A, B AND C WIND EXPOSURE "B" SNOW LOAD 30# / SQ. FT. APPLICABLE CODE: INTERNATIONAL RESIDENTIAL CODE (IRC) 2018 EDITION PRESCRIPTIVE METHOD BUILDING REQUIREMENTS ½" x 10" Anchor bolts ½" x 14" Anchor bolts 3" x 3" Cut washers LSTHD10 Simpson Strap 20' - #4 Rebar (2 bars in footing, 2 bars in walls) 30" - #4 Rebar pre-bent "L" hooks 24' Engineered Common Trusses24' Engineered reduced height gable end trusses CODE SUMMARY WINDOW and DOOR 4040 Vinyl sliding Window. Operation per owner 3068 Pre hung door: verify jamb size, brick mold, door swing, threshold and boring for lockset 1 16 ft. x 8 ft. Sectional Overhead Garage Door: Verify panel design, insulation, opener ROOFING 8 + squares 800 s.f. 12 18 lf FASTENERS 10 lbs. - 12d Sinker Nails - Framing 15 lbs. - 8d 2½" Vinyl coated nails - Roof and wall sheathing 10 lbs. - 1¼" long, 12 gauge, %" head - Roofing Shingles lares (800 s.f.) Fiberglass asphalt shingles 15lb felt 10' roof drip edge metal Ridgevent SITE LEGAL DESCRIPTON: GENERAL CONTRACTOR: OWNER PROJECT **SYMBOLS** SW-2 RB-04 (x)**INFORMA** KEY NOTE DATUM POINT HEADER DETAIL REF, SECTION REF DRAWING NUMBER SHEAR WALL LIC# T O N <u>24X24 GARAGE PLANS</u>

SHEET INDEX

A0.1	TITLE SHEET
CIVIL DRAWINGS	AWINGS
A1.1	SITE PLAN
ARCHITE	ARCHITECTURAL DRAWINGS
A2.1	MAIN FLOOR PLAN & WALL FRAMING PLANS & ELECTRICAL EXTERIOR ELEVATIONS
A4.1	BUILDING SECTION & ROOF FRAMING PLAN
A4.2 A4.3	DETAILS DETAILS
STRUCT	STRUCTURAL DRAWINGS

A0	

CONTRACTORS, SUBCONTRACTORS, AND OTHERS ARE TO REPORT ANY DISCREPANCIES OR ERRORS TO THE OWNER AND/OR BUILDER. ANY CHANGES TO THE PROJECT WILL BE VERIFIED WITH THE OWNER AND/OR BUILDER AND REVISIONS MADE. CONTRACTORS ARE NOT TO MAKE ALTERATIONS OF ANY KIND WITHOUT PRIOR WRITTEN CONSENT. DISCREPANCIES NOT REPORTED IMMEDIATELY ARE RESPONSIBILITY OF CONTRACTOR.

CONTRACTORS SHALL NOT SCALE FROM DRAWINGS.

CONTRACTORS, SUBCONTRACTORS, AND OTHERS WHO PROVIDE LABOR AND/OR MATERIALS REFERENCING THESE DRAWINGS ARE RESPONSIBLE FOR OBTAINING AND REVIEWING ALL CURRENT CONSTRUCTION DOCUMENTS.

THESE DRAWINGS ARE PART OF A SET OF CONSTRUCTION DOCUMENTS. THE CONSTRUCTION DOCUMENTS CONSIST OF ONE OR MORE OF THE FOLLOWING ELEMENTS:

CONSTRUCTION DRAWINGS
SPECIFICATIONS (OWNERS LIST OF PRODUCTS TO BE USED WHEN
CONTRACT FORMS & CONDITIONS
MODIFICATIONS & REVISIONS

PROJECT STREET ADDRESS:

ASSESSOR'S TAX PARCEL NUMBER:

(A.P.N

TITLE SHEET
MATERIALS
INDEX
PROJECT
INFO.

DATE: SCALE: $\frac{1}{4}$ " = 1'-0"

FTG.& FOUNDATION FLOOR PLAN PORTAL FRAMING DETAILS

BUILDING AREAS:
MAIN FLOOR USEABLE
UPPER FLOOR USEABLE
TOTAL SQ. FT.

GRADE TO RIDGE HEIGHT

16'-0"

ZONING CLASSIFICATION: "U" CONSTRUCTION TYPE: "V"

ALL WORK SHALL CONFORM TO ALL APPLICABLE FEDERAL, STATE, COUNTRY, CITY AND UTILITY COMPANY CODES AND REGULATIONS.

PLAN NO. 24x24-2C1D

GARAGE PLANS

Big Idea Designs www.icreatables.com 707-901-SHED(7433)